

MPO Female to 4 Duplex LC UPC Breakout Cable, 8 Fiber OM4 50/125 Multimode, Type B, LSZH.

MPO breakout cable, a cost-effective alternative to time-consuming field termination, is designed for high-density fiber patching in data centers which need space saving and reduce cable management troubles.

With MPO connectors and Corning fiber, it is optimized for 40G QSFP+ SR4 to 10G SFP+ SR, 100G QSFP SR4 to 25G SFP-25G-SR-S optics direct connection and high-density data center applications.



Specifications

- Fiber Type: OM4 50/125µm Multimode
- Fiber Count: 8-fiber
- Connector A: MPO Female
- Connector B: 4 x LC UPC Duplex
- Cable Length: 1m to 100m
- Cable Diameter
 - MPO: 3.0mm
 - Fan-out: 2.0mm
- Wavelength: 850/1300nm
- MPO Connector IL: 0.75dB Max (0.35dB Typ.)
- LC Connector IL: ≤0.2dB
- MPO Connector RL: ≥20dB
- LC Connector RL: ≥20dB
- Polarity: Type B (Crossover)
- Jacket Material: LSZH
- Jacket Color: Magenta
- Environment
 - Operating: -10°C to 70°C
 - Storage: -40°C to 85°C



Contact Us:

Email: sales@compufox.com

 (305) 865-8517  +1 (305) 710-6768

